

Bio Bingo – Cell Transport and Some Extras

Diffusion	Phagocytosis	Isotonic	Osmosis	PNCL
Nucleotide	Passive Transport	Solvent	Glycogen	Exocytosis
Solution	Fluid Mosaic Model	Free	Hydrophilic	Metabolism
Endocytosis	Solute	Phospholipid Bilayer	Pinocytosis	COHN
Amino Acid	Hypotonic	Hydrophobic	Phylogeny	Active Transport

Bio Bingo – Cell Transport and Some Extras

Glycogen	Nucleotide	Isotonic	Fluid Mosaic Model	Pinocytosis
Phagocytosis	Amino Acid	Hydrophilic	COHN	Exocytosis
Active Transport	Osmosis	Free	Hypotonic	Hypertonic
Solvent	Diffusion	Phospholipid Bilayer	PNCL	Solute
Phylogeny	Endocytosis	Hydrophobic	Passive Transport	Solution

Bio Bingo – Cell Transport and Some Extras

Active Transport	Solution	Nucleotide	Exocytosis	Hydrophobic
Hydrophilic	Solvent	Pinocytosis	Fluid Mosaic Model	Glycogen
Phagocytosis	Osmosis	Free	Hypotonic	Hypertonic
Solute	PNCL	Endocytosis	COHN	Diffusion
Phylogeny	Isotonic	Phospholipid Bilayer	Passive Transport	Amino Acid

Bio Bingo – Cell Transport and Some Extras

Glycogen	Nucleotide	Hypotonic	Fluid Mosaic Model	Pinocytosis
Phagocytosis	Phylogeny	Osmosis	Passive Transport	Exocytosis
PNCL	Hydrophilic	Free	Solvent	Endocytosis
Isotonic	Hypertonic	Phospholipid Bilayer	Active Transport	Solute
Solution	Amino Acid	Hydrophobic	COHN	Diffusion

Bio Bingo – Cell Transport and Some Extras

Hypotonic	Glycogen	Phagocytosis	Exocytosis	Solvent
Phopholipid Bilayer	PNCL	Pinocytosis	Fluid Mosaic Model	Hypertonic
Amino Acid	Solution	Free	Active Transport	Solute
Phylogeny	Osmosis	Endocytosis	COHN	Passive Transport
Isotonic	Hydrophilic	Nucleotide	Hydrophobic	Diffusion

Bio Bingo – Cell Transport and Some Extras

Diffusion	Endocytosis	Hypotonic	Fluid Mosaic Model	PNCL
Phagocytosis	Nucleotide	Hydrophobic	Passive Transport	Exocytosis
Hydrophilic	COHN	Free	Solvent	Solute
Osmosis	Pinocytosis	Phopholipid Bilayer	Active Transport	Hypertonic
Solution	Amino Acid	Glycogen	Isotonic	Phylogeny

Bio Bingo – Cell Transport and Some Extras

Phospholipid Bilayer	Pinocytosis	Endocytosis	Exocytosis	Isotonic
Amino Acid	Solvent	Phylogeny	Fluid Mosaic Model	Hypertonic
PNCL	Phagocytosis	Free	Active Transport	Hydrophilic
COHN	Nucleotide	Diffusion	Hypotonic	Passive Transport
Glycogen	Solute	Osmosis	Hydrophobic	Solution

Bio Bingo – Cell Transport and Some Extras

Endocytosis	PNCL	Osmosis	Phagocytosis	Solvent
Hypotonic	Nucleotide	Hydrophobic	Passive Transport	Active Transport
Exocytosis	Solution	Free	Hydrophilic	Hypertonic
Fluid Mosaic Model	Pinocytosis	Phospholipid Bilayer	Diffusion	Solute
COHN	Amino Acid	Glycogen	Isotonic	Phylogeny

Bio Bingo – Cell Transport and Some Extras

Pinocytosis	Glycogen	Endocytosis	Solution	Fluid Mosaic Model
COHN	Solvent	Amino Acid	Phylogeny	Hypotonic
Osmosis	Phagocytosis	Free	Active Transport	Phospholipid Bilayer
Isotonic	Hydrophilic	Diffusion	Hypertonic	Passive Transport
PNCL	Solute	Nucleotide	Hydrophobic	Exocytosis

Bio Bingo – Cell Transport and Some Extras

Phospholipid Bilayer	Solvent	Exocytosis	COHN	Solute
Isotonic	Nucleotide	Hydrophobic	Passive Transport	Phagocytosis
PNCL	Solution	Free	Hydrophilic	Hypotonic
Endocytosis	Pinocytosis	Osmosis	Diffusion	Fluid Mosaic Model
Glycogen	Amino Acid	Active Transport	Hypertonic	Phylogeny

Bio Bingo – Cell Transport and Some Extras

COHN	Amino Acid	Osmosis	Hypotonic	Passive Transport
Nucleotide	Isotonic	Exocytosis	Solution	PNCL
Endocytosis	Phylogeny	Free	Active Transport	Phopholipid Bilayer
Solvent	Hydrophilic	Diffusion	Hypertonic	Fluid Mosaic Model
Phagocytosis	Solute	Pinocytosis	Hydrophobic	Glycogen

Bio Bingo – Cell Transport and Some Extras

Nucleotide	PNCL	Exocytosis	COHN	Phopholipid Bilayer
Hydrophilic	Solvent	Hydrophobic	Passive Transport	Phagocytosis
Amino Acid	Fluid Mosaic Model	Free	Isotonic	Glycogen
Endocytosis	Pinocytosis	Phylogeny	Solute	Solution
Osmosis	Diffusion	Active Transport	Hypertonic	Hypotonic

Bio Bingo – Cell Transport and Some Extras

Solvent	Exocytosis	Fluid Mosaic Model	Hypotonic	Solute
Nucleotide	Osmosis	COHN	Solution	Hydrophilic
Endocytosis	Phylogeny	Free	Active Transport	Phospholipid Bilayer
Amino Acid	Passive Transport	Diffusion	Hypertonic	Phagocytosis
PNCL	Glycogen	Pinocytosis	Hydrophobic	Isotonic

Bio Bingo – Cell Transport and Some Extras

Pinocytosis	Amino Acid	Nucleotide	Hypertonic	Solution
Exocytosis	Solvent	Phospholipid Bilayer	Passive Transport	Phagocytosis
Active Transport	Fluid Mosaic Model	Free	Osmosis	Glycogen
Endocytosis	Isotonic	Phylogeny	Solute	Hydrophilic
Hydrophobic	COHN	PNCL	Hypotonic	Diffusion

Bio Bingo – Cell Transport and Some Extras

Phospholipid Bilayer	Exocytosis	Passive Transport	Nucleotide	Pinocytosis
Fluid Mosaic Model	Osmosis	Glycogen	Solution	Hydrophilic
Hypotonic	Solvent	Free	Active Transport	Isotonic
PNCL	Phylogeny	Diffusion	Hypertonic	Phagocytosis
COHN	Amino Acid	Solute	Hydrophobic	Endocytosis

Bio Bingo – Cell Transport and Some Extras

Pinocytosis	Solution	Nucleotide	Hypertonic	Amino Acid
Exocytosis	Solvent	Phospholipid Bilayer	Passive Transport	Phagocytosis
Active Transport	Solute	Free	Osmosis	Glycogen
Hydrophobic	Isotonic	Phylogeny	Fluid Mosaic Model	Hydrophilic
Diffusion	COHN	Endocytosis	Hypotonic	PNCL

Bio Bingo – Cell Transport and Some Extras

Isotonic	Exocytosis	Passive Transport	Nucleotide	Solvent
Hypotonic	Hydrophobic	Osmosis	Solution	Hydrophilic
Phospholipid Bilayer	COHN	Free	Active Transport	Fluid Mosaic Model
PNCL	Glycogen	Diffusion	Hypertonic	Amino Acid
Pinocytosis	Phylogeny	Solute	Phagocytosis	Endocytosis

Bio Bingo – Cell Transport and Some Extras

Exocytosis	Solution	Nucleotide	Pinocytosis	Hypertonic
Phagocytosis	Amino Acid	Phospholipid Bilayer	Passive Transport	Solvent
Isotonic	Hypotonic	Free	COHN	Glycogen
Hydrophobic	Solute	Phylogeny	Fluid Mosaic Model	Active Transport
Hydrophilic	PNCL	Endocytosis	Diffusion	Osmosis

Bio Bingo – Cell Transport and Some Extras

Osmosis	Fluid Mosaic Model	Phospholipid Bilayer	Nucleotide	Hypertonic
Solute	Hydrophobic	Solvent	Solution	Hydrophilic
PNCL	COHN	Free	Active Transport	Phylogeny
Passive Transport	Glycogen	Endocytosis	Pinocytosis	Amino Acid
Isotonic	Diffusion	Hypotonic	Phagocytosis	Exocytosis

Bio Bingo – Cell Transport and Some Extras

Nucleotide	COHN	Fluid Mosaic Model	Solute	Solvent
Hydrophilic	Hypertonic	Pinocytosis	Passive Transport	Active Transport
Isotonic	Hypotonic	Free	Phagocytosis	Exocytosis
Hydrophobic	Osmosis	Phylogeny	Amino Acid	Phospholipid Bilayer
Solution	PNCL	Endocytosis	Diffusion	Glycogen

Bio Bingo – Cell Transport and Some Extras

Osmosis	Fluid Mosaic Model	Phospholipid Bilayer	Nucleotide	Hypertonic
Solute	Hydrophobic	Solvent	Solution	Hydrophilic
PNCL	COHN	Free	Active Transport	Phylogeny
Passive Transport	Glycogen	Endocytosis	Pinocytosis	Amino Acid
Isotonic	Diffusion	Hypotonic	Phagocytosis	Exocytosis

Bio Bingo – Cell Transport and Some Extras

Nucleotide	COHN	Fluid Mosaic Model	Solute	Solvent
Hydrophilic	Hypertonic	Pinocytosis	Passive Transport	Active Transport
Isotonic	Hypotonic	Free	Phagocytosis	Exocytosis
Hydrophobic	Osmosis	Phylogeny	Amino Acid	Phospholipid Bilayer
Solution	PNCL	Endocytosis	Diffusion	Glycogen